

## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <a href="http://about.jstor.org/participate-jstor/individuals/early-journal-content">http://about.jstor.org/participate-jstor/individuals/early-journal-content</a>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

it was doubtfully credited to Long Island, but its presence in Suffolk County was later confirmed by Messrs. E. S. Miller and H. W. Young.\* It was collected some years ago by Mr. W. H. Leggett near Rossville, Staten Island,† and in July of last year I found it growing abundantly on the yellow drift along the southern shore of the Raritan River near Savreville, Middlesex Co., N. J., and on Sandy Hook. It seems to replace J. dichotomus, Ell., of southern New Jersey in the northward extension of the Pine Barren Flora.

N. L. Britton.

## Note on Some Rarer Plants of the Valley of the Hudson.

At Verplanck's Point, near Cruger's Station on the Hudson River Railroad, are fine bluffs of palæozoic limestone. Among plants noticed there are Campanula rotundifolia, L.; Anemone dichotoma, L.; Thuja occidentalis, L.; Arenaria Michauxii, Watson; Viburnum pubescens, Pursh.; Arabis lyrata, L.; Taxus baccata, L., var. Canadensis, Gray; Verbena angustifolia, Michx.; Potentilla argentea, L. These were all picked up in little over an hour. The locality is worth careful examination.

On the crystalline rocks along the west side of the Hudson were noticed Adlumia cirrhosa, Raf., above Jones' Point; Viburnum pubescens, Pursh.; Neillia opulifolia, B. & H., and Corydalis flavula, Raf., at West Point; Acer Pennsylvanicum, L., Crow's Nest Mountain; Polygonum cilinode, Michx., and Adlumia cirrhosa, Raf., below Cornwall; Celtis occidentalis, L., Tompkins' Cove.

Along a roadside west of Cornwall, *Stellaria graminea* was growing abundantly.

F. J. H. MERRILL.

## Additions to the Westchester County Flora.

The following are additions to the Flora of Westchester Co., N. Y., not reported in the Willis Catalogue; Ranunculus pusillus, Poir., Pelhamville; Viola pubesceus, Ait., double-flowered, Pelham Manor; Artemisia caudata, Michx., Premium Pt., New Rochelle;

<sup>\*</sup>Cat. Plants Suffolk Co., 1874, p. 13.

<sup>†</sup> See Bulletin, iv., 24.